

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

NABALOX® HC

Valid for all product variants

Registration number	01-2119529248-35-0036
IUPAC	Aluminium oxide
EINECS/ELINCS	215-691-6
CAS	1344-28-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Raw material in the refractory, ceramics, glass and chemicals industries, abrasive and polishing compound, additive, filler, pigment, body care, health care

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	Nabaltec AG Postfach 1860 92409 Schwandorf / GERMANY Phone +49 (0) 9431-53-0 Fax +49 (0) 9431-53-289 Homepage www.nabaltec.de E-mail info@nabaltec.de
---------	--

Address enquiries to

Technical information	info@nabaltec.de
Safety Data Sheet	sdb@chemiebuero.de

1.4 Emergency telephone number

Company	+49 (0)9431 53222 (24h) +49 (0)9431 530 (24h)
---------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

Hazard pictograms	
Hazard statements	none

2.3 Other hazards

Human health dangers	Prolonged and excessive contact can cause irritation of the respiratory tract.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	Further hazards were not determined with the current level of knowledge.

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

3.1 The product is a substance.

Range [%]	Substance
> 97	Aluminium oxide
	CAS: 1344-28-1, EINECS/ELINCS: 215-691-6, Reg-No.: 01-2119529248-35-0036

Comment on component parts

No dangerous components.
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change powdered clothing.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse out mouth and give plenty of water to drink.
In the event of symptoms seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

none

5.3 Advice for firefighters

Fire residues must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to dust.
Avoid dust formation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 3 / 8

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Avoid raising dust.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid the formation and deposition of dust.
Provide vacuuming if dust raised.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink, smoke or take drugs at work.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Aluminium oxide
CAS: 1344-28-1, EINECS/ELINCS: 215-691-6, Reg-No.: 01-2119529248-35-0036
Long-term exposure: 10 mg/m ³ , inhalable dust (respirable dust: 4 mg/m ³)

DNEL

Substance
Aluminium oxide, CAS: 1344-28-1
Industrial, inhalative (dust), Long-term - local effects: 15,63 mg/m ³ .
general population, oral, Long-term - systemic effects: 3,29 mg/kg bw/day.

PNEC

Substance
Aluminium oxide, CAS: 1344-28-1
sewage treatment plants (STP), 20 mg/L.

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 4 / 8

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Pay attention to dust limit value (ACGIH-2011: 10 mg/m ³ particle inhalable; 3 mg/m ³ particle respirable). Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,11mm Nitrile rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale dust. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter P1 (DIN EN 143)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	powder
Color	white
Odor	odourless
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	2980
Flash point [°C]	not applicable
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/ml]	3,4-3,9 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not determined
Solubility in water	0,00002 g/l (20°C)
Partition coefficient [n-octanol/water]	not applicable
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	2050
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not applicable

9.2 Other information

none

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 5 / 8

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

none

10.5 Incompatible materials

none

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance
Aluminium oxide, CAS: 1344-28-1
LD50, oral, Rat: > 2000 mg/kg bw (analogue).
LC50, inhalative, Rat: 7,6 mg/l 4h (analogue).
NOAEL, oral, Rat: 30 mg/kg bw/day (analogue).
NOAEC, inhalative, Rat: 70 mg/m ³ subchronic (analogue).

Serious eye damage/irritation	Non-corrosive / non-irritating.
Skin corrosion/irritation	Non-corrosive / non-irritating.
Respiratory or skin sensitisation	Non-sensitizing.
Specific target organ toxicity — single exposure	No classification.
Specific target organ toxicity — repeated exposure	No classification.
Mutagenicity	There is no evidence of any mutagenic effects.
Reproduction toxicity	There is no evidence of any reproductive toxicity effects.
Carcinogenicity	There is no evidence of any carcinogenic effects.
Aspiration hazard	Does not contain a relevant substance that meets the classification criteria.
General remarks	none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Aluminium oxide, CAS: 1344-28-1
LC50, Salmo trutta: > 100 mg/l (analogue).
EC50, Daphnia magna: > 100 mg/l (analogue).
EC50, Selenastrum capricornutum: > 100 mg/l (analogue).

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 6 / 8

12.2 Persistence and degradability

Behaviour in environment compartments	not applicable
Behaviour in sewage plant	not applicable
Biological degradability	not applicable

12.3 Bioaccumulative potential

not applicable

12.4 Mobility in soil

not applicable

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

061399

Contaminated packaging

Uncontaminated packaging may be reused.

Waste no. (recommended)

150101
150102

SECTION 14: Transport information

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 7 / 8

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Nabaltec AG
92409 Schwandorf

Date printed 11.09.2019, Revision 11.09.2019

Version 01

Page 8 / 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	0%

15.2 Chemical safety assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Classification procedure

Modified position none



Copyright: Chemiebüro®

